



# SAFETY DATA SHEET

## SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

### PRODUCT

**Product Name:** Special Linseed Oil  
**Product Description:** A pure, refined, filtered, specially selected, zero VOC, linseed oil.  
**Intended Use:** Wood Finish

### COMPANY

**Company Name:** Earthpaint Incorporated  
**Company Address:** PO BOX 19129 ASHEVILLE, NC 28806  
**Company Phone:** 828-258-2580, [www.earthpaint.net](http://www.earthpaint.net), [support@earthpaint.net](mailto:support@earthpaint.net)  
**Emergency Phone:** Local Emergency Room

## SECTION 2: HAZARDS IDENTIFICATION

### GHS LABELING

**GHS Classification:** Flammable None  
Health None  
**GHS Pictogram(s):** None  
**Signal Word:** None

### HAZARDS

**Hazard Statements:** None  
**Precautionary Statements:** None  
**Hazard-Determining Components of Labelling:** None

### ADDITIONAL

Repeated exposure may cause skin dryness or cracking.  
Rags, steel wool, or waste soaked with product may spontaneously ignite if improperly handled or discarded.  
No significant environmental hazards.



### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS#	Concentration (%)	GHS Hazard Codes	Supplier Rec.	EU HSPA
Linseed oil	8001-26-1	100	Not hazardous	N/A	N/A

### SECTION 4: FIRST AID MEASURES

**GENERAL INFORMATION:** No special measures required.

**Inhalation:** Supply fresh air; consult doctor in case of complaints.

**Skin contact:** Immediately wash with water and soap and rinse thoroughly.  
If skin irritation continues, consult a doctor.

**Eye contact:** Remove contact lenses if worn.  
Rinse opened eye for several minutes under running water.  
If symptoms persist, consult doctor.

**Ingestion:** Rinse out mouth and then drink plenty of water.  
Do not induce vomiting; call for medical help immediately.

**Symptoms and effects (both acute and delayed):**  
Headache  
Gastric or intestinal disorders  
Cramping  
Dizziness  
Breathing difficulty  
Coughing  
Slight irritant effect on skin and mucous membranes  
Slight irritant effect on eyes

#### NOTES TO PHYSICIANS OR FIRST AID PROVIDERS:

If swallowed, gastric irrigation with added, activated carbon.  
Medical supervision for at least 48 hours.  
If necessary oxygen respiration treatment.  
Treat skin and mucous membrane with antihistamine and corticoid preparations.  
In cases of irritation to the lungs, initial treatment with corticosteroid inhalants.



## SECTION 5: FIRE FIGHTING MEASURES

### FIRE FIGHTING

**Extinguishing Media:** Foam; Fire-extinguishing powder; Carbon dioxide; Gaseous extinguishing agents

**Unsuitable extinguishing agents:**

Water spray - Water with full jet

**Protective Equipment and Precautions for Firefighters:**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**Hazards Arising from the Chemical:**

Risk of ignition. Rags and other materials containing this product may heat and spontaneously ignite, if exposed to air. Store wiping rags and similar materials in metal cans with tightly fitting lids. Cool closed containers exposed to fire with water spray. Formation of toxic gases is possible during heating or in case of fire.

**Additional Information:**

Cool endangered receptacles with water fog or haze.

### FLAMMABILITY PROPERTIES

**Flammable Limits in Air:**

Upper N/D

Lower N/D

**NFPA Hazard Classification:**

Health 0

Flammability 1

Reactivity 0

Other N/A

**HMIS Hazard Classification:**

Health 0

Flammability 1

Reactivity 0

Protection N/D

**Product :**

Refined Linseed Oil

**Flash Point:**

>500°F >260°C

**Autoignition Temperature:**

N/D N/D

## SECTION 6: ACCIDENTAL RELEASE MEASURES

**Personal Precautions, Protective Equipment:**

Use respiratory protective device against the effects of fumes/dust/aerosol

Ensure adequate ventilation

Wear protective equipment

Keep unprotected persons away

Keep away from ignition

sources

Particular danger of slipping on leaked/spilled product

**Environmental Precautions:**

Do not allow to enter sewers or groundwater

Prevent from spreading (e.g. by damming-in or oil barriers)



### Methods and Materials for Containment and Clean-up:

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders).

Remove from the water surface (e.g. skim or suction off).

Pick up mechanically.

Send for suitably qualified recovery and/or disposal companies.

Dispose of the collected material according to regulations.

**Used rags or other cleaning materials should be soaked with water and placed in a sealed container.**

### Additional Information:

**Oil soaked materials may spontaneously combust.**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: HANDLING AND STORAGE

### HANDLING

#### General:

Avoid the formation of oil haze.

Rags, metal wools / cuttings / shavings and waste papers soaked with product must be placed in a sealed metal container rated for flammable waste.

Information about fire- and explosion protection: Protect from heat.

Keep ignition sources away - Do not smoke.

Substance/product is ignitable under certain conditions.

### STORAGE

#### Requirements to be met by storerooms and containers:

Avoid storage near extreme heat, ignition sources or open flame.

#### Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with oxidizing and acidic materials.

Do not store together with textiles.

#### Further information about storage conditions:

Store in cool, dry conditions in well sealed containers.

Avoid prolonged contact with air/oxygen.

Remove and wash contaminated clothing before re-use.

Store in well-ventilated place.

Keep away from open flames, hot surfaces and sources of ignition.



## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### PERSONAL PROTECTION

#### Control parameters

Ingredients with limit values that require monitoring at the workplace: Not Required

#### 8001-26-1 Linseed Oil

PEL (USA)	Short-term value: 15' 5" <i>mg/m<sup>3</sup></i> 'Total dust "Respirable fraction
OEL (Canada)	Short-term value: 10* 3" <i>mg/m<sup>3</sup></i> 'Mist "Respirable mist
TWA (Canada)	Short-term value: 10* 3" <i>mg/m<sup>3</sup></i> *Mist **Respirable mist

#### Respiratory Protection:

Use suitable respiratory protective device in case of insufficient ventilation. Use suitable respiratory protective device when aerosol or mist is formed. For spills, respiratory protection may be advisable.

#### Ventilation:

Use only with ventilation sufficient to prevent exceeding recommended exposure limit or buildup of explosive concentrations of vapor in the air. No smoking, flame, or other ignition sources.

#### Protective Gloves:

Use chemical resistant gloves, if needed, to avoid prolonged or repeated skin contact. The glove material has to be impermeable and resistant to the product. Selection of the glove material should be based on the penetration time, rates of diffusion and the degradation of the glove material.

#### Eye Protection:

Safety glasses if eye contact is likely; eyewash fountain should be accessible.

### ENGINEERING CONTROLS

#### Ventilation:

Adequate ventilation should be provided so that exposure limits are not exceeded.

#### Hygiene:

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking.

#### Exposure Guidelines:

**NOTE: The level of protection and types of controls necessary will vary depending upon potential exposure conditions.**

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### GENERAL INFORMATION

Physical State:	Liquid
Form:	Clear
Color:	Yellow/Amber
Odor:	Mild Vegetable Oil
Odor Threshold:	N/D



## IMPORTANT

### HEALTH, SAFETY, AND ENVIRONMENTAL INFORMATION

<b>Boiling Point:</b>	N/D
<b>Melting Point:</b>	N/D
<b>Freezing Point:</b>	N/D
<b>Vapor Pressure:</b>	N/D
<b>Density at 20°C:</b>	0.92-0.97 g/cm <sup>3</sup>
<b>Specific Gravity:</b>	N/D
<b>Evaporation Rate:</b>	N/D
<b>Solubility in Water:</b>	Does not mix with water.
<b>Solids by Weight:</b>	N/D
<b>Volatile:</b>	0 g/L VOC
<b>Molecular Weight:</b>	N/D
<b>Viscosity:</b>	N/D
<b>Flash Point:</b>	>500°F >260°C

## SECTION 10: STABILITY AND REACTIVITY

### STABILITY

<b>General:</b>	Slowly polymerizes when exposed to air. Oxidizes rapidly and exothermically if large surface area is present. May spontaneously combust under certain conditions.
<b>Conditions to Avoid:</b>	Keep ignition sources away- Do not smoke. Store away from oxidizing agents. Avoid heat, sparks, open flames and other ignition sources
<b>Materials to Avoid:</b>	No additional information is available.
<b>Hazardous Decomposition or Bi-Products:</b>	Carbon monoxide and carbon dioxide
<b>Possibility of Hazardous Reactions:</b>	Possibility of hazardous reactions: Reacts with aldehydes. Reacts violently with oxidizing agents. Reacts with peroxides and other radical forming substances. Reacts with inorganic acid chlorides. Reacts with powdered metals. Reacts with strong acids and alkali. Self-igniting under certain conditions.

## SECTION 11: TOXICOLOGICAL INFORMATION

### INFORMATION ON TOXICOLOGICAL EFFECTS

<b>Inhalation:</b>	
<b>Ingestion:</b>	
<b>Skin:</b>	Slight irritant effect on skin and mucous membranes.
<b>Eye:</b>	Slight irritant effect on eyes.



**Carcinogenic:** Substance is not listed. (National Toxicology Program)

**Repeated Dose Toxicity:** Repeated exposure may cause skin dryness or cracking.

## SECTION 12: ECOLOGICAL INFORMATION

### ECOLOGICAL INFORMATION

**Ecotoxicity:** May cause long term adverse effects in the aquatic environment.

**Additional ecological information:** Do not allow large quantities of undiluted product to reach ground water, water course or sewage system.

**Mobility:** Highly volatile, will partition rapidly to air.  
Not expected to partition to sediment and wastewater solids.

### PERSISTENCE AND MOBILITY

**Biodegradation:** Readily biodegradable.

**Hydrolysis:** Transformation due to hydrolysis is not expected to be significant.

**Photolysis:** Transformation due to photolysis is not expected to be significant.

**Atmospheric:** N/D

## SECTION 13: DISPOSAL CONSIDERATIONS

**NOTE:** Disposal recommendations based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at the time of disposal.

**Waste Disposal:** Contact waste processors for recycling information.  
Can be burned with household garbage after consulting with the pertinent authorities and adhering to all the applicable regulations.

**Uncleaned Packaging:** Disposal must be made according to the applicable regulations.

## SECTION 14: TRANSPORT INFORMATION

**14.1 UN-Number DOT, ADR, IMDG, IATA:**

Not Regulated

**14.2 UN proper shipping name DOT; ADR; IMDG, IATA:**

Not Regulated

**14.3 Transport hazard class(es) DOT; ADR; IMDG, IATA:**

Not Regulated

**14.4 Packing group DOT, ADR, IMDG, IATA:**

Not Regulated

**14.5 Environmental hazards: Marine pollutant:**

No



**14.6 Special precautions for user:**

Not applicable

**14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:**

Not applicable

**UN "Model Regulation":**

-

**SECTION 15: REGULATORY INFORMATION**

**SARA**

**Section 355 (extremely hazardous substances):**

Substance is not listed.

**Section 313 (Specific toxic chemical listings):**

Substance is not listed.

**TSCA (Toxic Substances Control Act):**

Substance is listed.

**PROPOSITION 65 (CALIFORNIA)**

**Chemicals known to cause cancer:**

Substance not listed.

**Chemicals known to cause reproductive toxicity for females:**

Substance not listed.

**Chemicals known to cause reproductive toxicity for males:**

Substance not listed.

**Chemicals known to cause developmental toxicity:**

Substance not listed

**CARCINOGENIC CATEGORIES**

**EPA (Environmental Protection Agency):**

Substance is not listed.

**IARC (International Agency for Research on Cancer):**

Substance is not listed.

**NIOSH-Ca (National Institute for Occupational Safety and Health):**

Substance is not listed.

**OSHA-Ca (Occupational Safety & Health Administration):**

Substance is not listed.

**CANADIAN SUBSTANCE LISTING**

**Canadian Domestic Substances List (DSL):**

Substance is listed.

**Canadian Ingredient Disclosure list (limit 0.1%):**

Substance is not listed.





**Canadian Ingredient Disclosure list (limit 1%):**

8001-26-1 Linseed oil.

**SECTION 16: OTHER INFORMATION**

N/D = Not determined, N/A = Not applicable

**Relevant phrases**

H411: Toxic to aquatic life with long lasting effects.

R51153: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Abbreviations and Acronyms:**

- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European agreement concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- GHS: Globally Harmonized System of Classification and Labelling of Chemicals
- ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- DNEL: Derived No-Effect Level (REACH)
- PNEC: Predicted No-Effect Concentration (REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- Aquatic Chronic 2: Hazardous to the aquatic environment- Chronic Hazard, Category 2
- Aquatic Chronic 3: Hazardous to the aquatic environment- Chronic Hazard, Category 3

**THIS SAFETY DATA SHEET CONTAINS THE FOLLOWING REVISIONS:**

Updates made in accordance with implementation of GHS requirements.

---

Earthpaint Incorporated believes, to the best of its knowledge, information and belief, the information contained herein to be accurate and reliable as of the date of this safety data sheet. However, because the conditions of handling, use, and storage of these materials are beyond our control, we assume no responsibility or liability for personal injury or property damage incurred by the use of these materials. Earthpaint Incorporated makes no warranty, expressed or implied, regarding the accuracy or reliability of the data or results obtained from their use. All materials may present unknown hazards and should be used with caution. The information and recommendations in this material safety data sheet are offered for the users' consideration and examination. It is the responsibility of the user to determine the final suitability of this information and to comply with all applicable international, federal, state, and local laws and regulations.